

December 12, 2005
Case No. GP-304224 (2760/145)
Serial No.: 10/738,396
Filed: December 17, 2003
Page 2 of 8

CLAIM AMENDMENTS:

Please add claims 18-20 so that a complete list of the currently pending claims reads as follows:

1. (Original) A method for operating a telematics unit within a mobile vehicle, the method comprising:
receiving radio station information;
detecting an initiation command received from a user interface; and
providing the radio station information to the telematics unit responsive to the detected initiation command.
2. (Original) The method of claim 1, further comprising
receiving a communication command; and
initiating a wireless communication via the telematics unit responsive to the received communication command.
3. (Original) The method of claim 2, further comprising:
determining if the initiated wireless communication is connected;
initiating wireless voice communication from a user interface when the initiated wireless communication is connected;
terminating the wireless communication when the initiated wireless communication is not connected; and
reinitializing the terminated wireless communication via the telematics unit responsive to the received communication command.
4. (Original) The method of claim 1, further comprising
initiating a wireless communication via the telematics unit responsive to the detected initiation command.

December 12, 2005
Case No. GP-304224 (2760/145)
Serial No.: 10/738,396
Filed: December 17, 2003
Page 3 of 8

5. (Original) The method of claim 1, wherein the radio station information is selected from the group consisting of: radio station identification, radio station telephone number, one or more radio station messages, alert data such as traffic hotline reports, government emergency alerts, weather alerts, sports scores and stock quotes;

6. (Original) The method of claim 1, wherein the radio station information is broadcast on a sub-carrier band.

7. (Original) The method of claim 1, wherein the user interface is a voice activated user interface.

8. (Original) The method of claim 1, wherein the user interface is manually operable push button user interface.

9. (Original) A computer readable medium for operating a telematics unit within a mobile vehicle, comprising:
computer readable code for sensing received radio station information;
computer readable code for detecting an initiation command received from a user interface; and
computer readable code for providing the radio station information to the telematics unit responsive to the detected initiation command.

10. (Original) The computer readable medium of claim 9, further comprising:
computer readable code for initiating a wireless communication via the telematics unit responsive to a received communication command.

December 12, 2005
Case No. GP-304224 (2760/145)
Serial No.: 10/738,396
Filed: December 17, 2003
Page 4 of 8

11. (Original) The computer readable medium of claim 10, further comprising:

computer readable code for determining if the initiated wireless communication is connected;

computer readable code for initiating wireless voice communication from a user interface when the initiated wireless communication is connected;

computer readable code for terminating the wireless communication when the initiated wireless communication is not connected; and

computer readable code for reinitializing the terminated wireless communication via the telematics unit responsive to the received communication command.

12. (Original) The computer readable medium of claim 9, further comprising:

computer readable code for initiating a wireless communication via the telematics unit responsive to the detected initiation command.

13. (Original) The computer readable medium of claim 9, wherein the radio station information is selected from the group consisting of: radio station identification, radio station telephone number, one or more radio station messages, alert data such as traffic hotline reports, government emergency alerts, weather alerts, sports scores and stock quotes;

14. (Original) The computer readable medium of claim 9, wherein the radio station information is broadcast on a sub-carrier band.

December 12, 2005
Case No. GP-304224 (2760/145)
Serial No.: 10/738,396
Filed: December 17, 2003
Page 5 of 8

15. (Original) The computer readable medium of claim 9, wherein the user interface is a voice activated user interface.

16. (Original) The computer readable medium of claim 9, wherein the user interface is manually operable push button user interface.

17. (Original) A system for operating a telematics unit within a mobile vehicle, the system comprising:

means for receiving radio station information;

means for detecting an initiation command received from a user interface; and

means for providing the radio station information to the telematics unit responsive to the detected initiation command.

18. (New) The method of claim 1 wherein the radio station information is received at an interactive radio module via a sub-carrier band of a radio signal.

19. (New) The method of claim 18 wherein the interactive radio module includes a visual user interface and a physical user interface and is configured to receive commands from the physical user interface and store received radio station information.

20. (New) The method of claim 1 wherein the radio station information is received at an interactive radio module via a sub-carrier band of a radio signal, and wherein the radio station information includes a radio station telephone number, and wherein the initiation command is received responsive to a radio station broadcast, and wherein the radio station telephone number is passed to the telematics unit via a communication bus responsive to the initiation command.